Headlamps LED with Matrix Beam , (8G4)

From September 2014



Protected by copyright. Copying for private or commercial purposes, in part or in whole, is not permitted unless authorised by AUDI AG. AUDI AG does not guarantee or accept any liability with respect to the correctness of information in this document. Copyright by AUDI AG.



No. 106 / 1

Wiring Diagram

Vehicle Electrical System Control Module



ST2 Fuse Panel 2

ST3 Fuse Panel 3

SB9 Fuse 9 (On Fuse Panel B)

SB10 Fuse 10 (On Fuse Panel B)

SB11 Fuse 11 (On Fuse Panel B)

SB14 Fuse 14 (On Fuse Panel B)

T17c 17-Pin Connector, Brown

T17d 17-Pin Connector, Black

T17e 17-Pin Connector, Red

44 Ground Connection on A-Pillar, Lower Left

369 Ground Connection 4 (in Main Wiring Harness)

Refer to Applicable Wiring Diagram for Fuse Positions



Protected by copyright. Copying for private or commercial purposes, in part or in whole, is not permitted unless authorised by AUDI AG. AUDI AG does not guarantee or accept any liability with respect to the correctness of information in this document. Copyright by AUDI AG.

ws = white
sw = black
ro = red
rt = red
br = brown
gn = green
bl = blue
gr = grey
li = lilac
vi = lilac
ge = yellow


= orange


= pink

or

rs

4G.I-106020420





Light Switch, Instrument Panel and Switch Illumination Dimmer Switch, Rear Fog Lamp Button, Fog Lamp Button, Night Vision System Button, Vehicle Electrical System Control Module

- E1 Light Switch
- E20 Instrument Panel and Switch Illumination Dimmer Switch
- E314 Rear Fog Lamp Button
- E315 Fog Lamp Button
- E680 Night Vision System Button
- J519 Vehicle Electrical System Control Module
 - K4 Position Lamp Indicator Lamp
- K13 Rear Fog Lamp Indicator Lamp
- K17 Fog Lamp Indicator Lamp
- L9 Headlamp Switch Illumination Bulb
- ST2 Fuse Panel 2

= white = black = red = red = brown = green = blue = grey = lilac

= lilac = yellow

= pink

= orange

- SC8 Fuse 8 (On Fuse Panel C)
- T4af 4-Pin Connector, Black
- T32c 32-Pin Connector
- 45 Ground Connection Behind Instrument Panel, Center


Protected by copyright. Copyring for private or commercial purposes, in part or in whole, is not permitted unless authorised by AUDI AG. AUDI AG does not guarantee or accept any liability with respect to the concess. Ground Connection 3 Un. Instrument Ranel Wiring Harness)


* Refer to Applicable Wiring Diagram for Fuse Positions

J519 (**€**T17c **€**T17c **4**_{T17c} T17c /10 T17c /11 ₽T17c 0.35 237 0.35 0.35 0.35 0.35 1.0 0.35 0.35 0.5 ge/sw or/sw or/br ws/ge T14c T14c T14c T14c T14c T14c T14c MX₁ T34a T34a √32 T34a **V**31 14 A31 (T34a /14 T34a /33 T34a /30 T34a /13 T34a /11 opying (Treax ate Treaxnm Treax in lart or in whole, is not sed by 1441 AG. 1301 AGC 6as not (Inrante) or accept any liability Protected by o pyright. s author permitted unle with respect to the co ation in this document. Copyright by AUDI AG. = white = black = red = red T2ra T2ra T5cd V1 T5cd T5cd √3 T5cd V4 T3dq /2 T3dp T3dp T5cd T3dq = brown = green **(M)** ♨ **(M)** = blue = grey = lilac V48 V407 V463 M51 = lilac = yellow 37 39 = orange or [4G.I-106040420] rs = pink

Vehicle Electrical System Control Module, Left Front Headlamp


- A31 Left LED Headlamp Power Output Module 1 J519 Vehicle Electrical System Control Module
- MX1 Left Front Headlamp, On the Left Headlamp
- M51 Left Stationary Cornering Lamp
- T2ra 2-Pin Connector
- T3dp 3-Pin Connector
- T3dq 3-Pin Connector
- T5cd 5-Pin Connector
- T6ax 6-Pin Connector
- T14c 14-Pin Connector, Black
- T17c 17-Pin Connector, Brown
- T34a 34-Pin Connector
- V48 Left Headlamp Range Control Adjustment Motor
- V407 Left Headlamp Fan
- V463 Left Headlamp Fan 2
 - * Data Bus Wire (CAN Bus)





MX₁

Protected by copyright. Copying for private or commercial purposes, in part or in whole, is not



Vehicle Electrical System Control Module, Left Front Headlamp

- A44 Left Matrix Headlamp Power Output Module J519 Vehicle Electrical System Control Module
- MX1 Left Front Headlamp, On the Left Headlamp
- M30 Left High Beam Headlamp Bulb
- N663 Current Coding Resistance 2 for Left Headlamp
- T8bu 8-Pin Connector
- T8bv 8-Pin Connector
- T32o 32-Pin Connector
- T34b 34-Pin Connector

= white = black

= red = red

= brown = green

= blue = grey = lilac

= lilac = yellow = orange


= pink

br

or

rs

Wiring Diagram



Protected by copyright. Copying for private or commercial purposes, in part or in whole, is not permitted unless authorised by AUDI AG. AUDI AG does not guarantee or accept any liability

-with-respect to the correctness of information in this document. Copyright by AUG! AG.

A44 (6) **Ŷ**Т34b /34b /31 T34b /32 T34b /22 T34b /29 T34b T34b /34 T34b /26 T34b /25 T10br /11 T10br T10br /10 93 T320 /26 T8bt T8bu T8bt T8bt T8bt T8bt √3 T8bt 77 T8bt T10bq T10bq T10bq T10bq T8bt M₃₀ 72 4G.I-106070420

Vehicle Electrical System Control Module, Left Front Headlamp

A44 Left Matrix Headlamp Power Output Module J519 Vehicle Electrical System Control Module

MX1 Left Front Headlamp, On the Left Headlamp

M30 Left High Beam Headlamp Bulb

T8bt 8-Pin Connector

T8bu 8-Pin Connector

T10bq 10-Pin Connector

T10br 10-Pin Connector

T32o 32-Pin Connector T34b 34-Pin Connector

= white = black = red = red

= brown = green = blue = grey = lilac

= lilac = yellow


= pink

= orange

br

or

rs



Vehicle Electrical System Control Module, Left Front Headlamp

```
A32 Left LED Headlamp Power Output Module 2
A44 Left Matrix Headlamp Power Output Module
J519 Vehicle Electrical System Control Module
L176 Left Daytime Running Lamp and Position Lamp LED Module
MX1 Left Front Headlamp, On the Left Headlamp
M30 Left High Beam Headlamp Bulb
T8br 8-Pin Connector
T10bq 10-Pin Connector
T14c 14-Pin Connector, Black
T17c 17-Pin Connector, Brown
T17e 17-Pin Connector, Red
T20o 20-Pin Connector
T32o 32-Pin Connector
T34b 34-Pin Connector
```


Ground Connection 2 (in Main Wiring Harness)

Protected by copyright. Copying for private or commercial purposes, in part or in whole, is not permitted unless authorised by AUDI AG. AUDI AG does not guarantee or accept any liability with respect to the correctness of information in this document. Copyright by AUDI AG.

J519 (sw/ws MX₁ 112 T200 T200 /14 T200 /13 112 Protected by copyrig ee or accept any T_{T14f} T14f T14f T14f AUDI A does n t guarar with respect to the nation ir this doc = white = black = red = red T8bq T8bs T8bq T8br /8 T8bq T8bq T8bq /6 T8bq T8bs T8bs T8bs T8bq = brown = green 学 本" = blue = grey = lilac M₅ L176 = lilac = yellow 103 110 112 = orange or [4G.I-106090420] rs = pink

Vehicle Electrical System Control Module, Left Front Headlamp

- A32 Left LED Headlamp Power Output Module 2
- J519 Vehicle Electrical System Control Module
- L176 Left Daytime Running Lamp and Position Lamp LED Module
- MX1 Left Front Headlamp, On the Left Headlamp
- M5 Left Front Turn Signal Bulb
- T8bq 8-Pin Connector
- T8br 8-Pin Connector
- T8bs 8-Pin Connector
- T14c 14-Pin Connector, Black
- T14f 14-Pin Connector
- T17c 17-Pin Connector, Brown T20o 20-Pin Connector



Vehicle Electrical System Control Module, Left Front Headlamp

A32 Left LED Headlamp Power Output Module 2
J393 Comfort System Central Control Module
J519 Vehicle Electrical System Control Module
MX1 Left Front Headlamp, On the Left Headlamp
M5 Left Front Turn Signal Bulb
T3dn 3-Pin Connector

T4gf 4-Pin Connector T8bs 8-Pin Connector T14f 14-Pin Connector

T20o 20-Pin Connector

T32g 32-Pin Connector

= white = black = red = red

= brown = green

= blue = grey = lilac

= lilac = yellow

= pink

= orange

B608 Connection 4 (in Interior Wiring Harness)

= white = black = red = red

= brown = green

= blue = grey = lilac

= lilac = yellow

= pink

or


rs

= orange

J519 **(**C) T17≡ /15 **₽**T17e **●**T17e T17≡ /11 **₽**T17e T17e 0.35 0.35 0.35 0.35 0.35 1.0 2.5 0.35 0.35 1.5 gn/ws or/sw or/br sw/gn T14d T14d ⁸ T14d T14d T14d T14d T14d T14d MX2 T34a T34a V32 T34a T34a T34a 150 151 (T34a /30 /134a /13 T34a /14 T34a /33 T34a /11 T6cv /3 T6cv T6cv T6cv T5cd T2ra T2ra T5cd T5cd V4 T5cd T3dq /2 T3ds T3ds T3dq M M ♨ 本" V408 M51 V49 V464 128 129 130 131 132 134 137 138 [4G.I-106110420]

Vehicle Electrical System Control Module, Right Front Headlamp

A27 Right LED Headlamp Power Output Module 1 J519 Vehicle Electrical System Control Module MX2 Right Front Headlamp, On the Right Headlamp M51 Left Stationary Cornering Lamp T2ra 2-Pin Connector T3da 3-Pin Connector T3ds 3-Pin Connector T5cd 5-Pin Connector T6cv 6-Pin Connector T14d 14-Pin Connector, Black T17e 17-Pin Connector, Red T34a 34-Pin Connector V49 Right Headlamp Range Control Adjustment Motor V408 Right Headlamp Fan V464 Right Headlamp Fan 2 Data Bus Wire (CAN Bus)




Vehicle Electrical System Control Module, Right Front Headlamp

A27 Right LED Headlamp Power Output Module 1 A45 Right Matrix Headlamp Power Output Module G704 Right Headlamp Temperature Sensor 1 G832 Left Headlamp Temperature Sensor 3 J519 Vehicle Electrical System Control Module Right Front Headlamp, On the Right Headlamp Right Low Beam Headlamp Bulb Right High Beam Headlamp Bulb Fuse Panel 1 Fuse 6 (On Fuse Panel B) SB12 Fuse 12 (On Fuse Panel B) T2gy 2-Pin Connector T2qz 2-Pin Connector T2rd 2-Pin Connector T3do 3-Pin Connector T4gg 4-Pin Connector, Black T4hg 4-Pin Connector T6cw 6-Pin Connector T8bz 8-Pin Connector T10bs 10-Pin Connector T14d 14-Pin Connector, Black T32p 32-Pin Connector, Brown T34a 34-Pin Connector .T34d, .34-Pin Connector a part or in whose is not Refer to Applicable Wiring Diagram for Fuse Positions *2 at (Magnetic Core) Jupy right by AJD AG

For RHD Vehicles



MX2



Vehicle Electrical System Control Module, Right Front Headlamp

- A45 Right Matrix Headlamp Power Output Module
- J519 Vehicle Electrical System Control Module
- MX2 Right Front Headlamp, On the Right Headlamp
- M32 Right High Beam Headlamp Bulb
- N663 Current Coding Resistance 2 for Left Headlamp
- T8by 8-Pin Connector
- T8bz 8-Pin Connector
- T32p 32-Pin Connector, Brown
- T34d 34-Pin Connector

J519 (

Vehicle Electrical System Control Module, Right Front Headlamp

A45 Right Matrix Headlamp Power Output Module

J519 Vehicle Electrical System Control Module MX2 Right Front Headlamp, On the Right Headlamp

M32 Right High Beam Headlamp Bulb

T8bw 8-Pin Connector

T8by 8-Pin Connector

T10bs 10-Pin Connector


T10bt 10-Pin Connector

T32p 32-Pin Connector, Brown


T34d 34-Pin Connector

Principle to the property of the principle remains a common series on a purchase and AN JUNETA BERTHARD STATE OF THE STATE OF THE






= black = red = red = brown = green = blue = grey = lilac = lilac = yellow



Vehicle Electrical System Control Module, Right Front Headlamp


- A28 Right LED Headlamp Power Output Module 2
 A45 Right Matrix Headlamp Power Output Module
- J519 Vehicle Electrical System Control Module
- L177 Right Daytime Running Lamp and Position Lamp LED Module
- MX2 Right Front Headlamp, On the Right Headlamp
- M32 Right High Beam Headlamp Bulb
- T8cb 8-Pin Connector
- T10bt 10-Pin Connector
- T14d 14-Pin Connector, Black
- T17e 17-Pin Connector, Red
- T20o 20-Pin Connector
- T32p 32-Pin Connector, Brown
- T34d 34-Pin Connector




Vehicle Electrical System Control Module, Right Front Headlamp

- A28 Right LED Headlamp Power Output Module 2
- J519 Vehicle Electrical System Control Module
- L177 Right Daytime Running Lamp and Position Lamp LED Module
- MX2 Right Front Headlamp, On the Right Headlamp
- M7 Right Front Turn Signal Bulb
- T8ca 8-Pin Connector
- T8cb 8-Pin Connector
- T8cc 8-Pin Connector
- T14d 14-Pin Connector, Black
- T14y 14-Pin Connector
- T17e 17-Pin Connector, Red
- T20o 20-Pin Connector






- A28 Right LED Headlamp Power Output Module 2
- J519 Vehicle Electrical System Control Module MX2 Right Front Headlamp, On the Right Headlamp
- Right Front Turn Signal Bulb
- T3du 3-Pin Connector
- T4gg 4-Pin Connector, Black
- T4hg 4-Pin Connector
- T8cc 8-Pin Connector
- T14y 14-Pin Connector
- T20o 20-Pin Connector
- Ground Connection on A-Pillar, Lower Right
- Ground Connection 14 (in Main Wiring Harness)



Headlamp Range Control Module, Vehicle Electrical System Control Module

- J431 Headlamp Range Control Module
- J519 Vehicle Electrical System Control Module
- ST1 Fuse Panel 1
- SB1 Fuse 1 (On Fuse Panel B)
- T26 26-Pin Connector
- B281 Positive Connection 5 (15a) (in Main Wiring Harness)
- (C67) CAN Bus High Connection (in Headlamp Wiring Harness)
- C68 CAN Bus Low Connection (in Headlamp Wiring Harness)
- Refer to Applicable Wiring Diagram for Fuse Positions
- 2 Data Bus Wire (CAN Bus)




Left Rear Level Control System Sensor, Left Front Level Control System Sensor, Vehicle Electrical System Control Module, Left Signature Lighting Bulb, Right Signature Lighting Bulb

```
G76 Left Rear Level Control System Sensor
G78 Left Front Level Control System Sensor
J519 Vehicle Electrical System Control Module
L275 Left Signature Lighting Bulb
L276 Right Signature Lighting Bulb
T4at 4-Pin Connector
T4gq 4-Pin Connector, Gray
T4gr 4-Pin Connector, Gray
T4s 4-Pin Connector
T17d 17-Pin Connector, Black
T17e 17-Pin Connector, Red
T17f 17-Pin Connector, In the Left A-Pillar Connector Station, White
T32c 32-Pin Connector
      Ground Connection 1 (in Main Wiring Harness)
B609 Connection 5 (in Interior Wiring Harness)
(B610) Connection 6 (in Interior Wiring Harness)
```

For Vehicles with Hybrid Drive

Wiring Diagram



Vehicle Electrical System Control Module, Data Bus on Board Diagnostic Interface, Comfort System CAN Bus High Wire Junction, Extended CAN Bus High Wire Junction, Comfort System CAN Bus High Wire Junction 2

- J519 Vehicle Electrical System Control Module
- J533 Data Bus on Board Diagnostic Interface
- T16c 16-Pin Connector, Brown
- T32b 32-Pin Connector
- T46a 46-Pin Connector
- T46b 46-Pin Connector
- TV34 Comfort System CAN Bus High Wire Junction
- TV38 Comfort System CAN Bus Low Wire Junction
- TV41 Extended CAN Bus High Wire Junction
- TV42 Extended CAN Bus Low Wire Junction
- TV80 Comfort System CAN Bus High Wire Junction 2
- TV83 Comfort System CAN Bus Low Wire Junction 2
- (B108) CAN Bus Extended High Connection 1 (in Main Wiring Harness)
- (B109) CAN Bus Extended Low Connection 1 (in Main Wiring Harness)
 - * Data Bus Wire (CAN Bus)